

#### METROLOGIC'S EMEA HEADQUARTERS

Metrologic Instruments GmbH  
Tel: +49 (0) 89 89 019 0  
Fax: +49 (0) 89 89 019 200  
Email: [info@europe.metrologic.com](mailto:info@europe.metrologic.com)  
[www.europe.metrologic.com](http://www.europe.metrologic.com)

#### METROLOGIC'S EUROPEAN REGIONAL OFFICES

##### Eastern Europe, Middle East

Metrologic Instruments GmbH  
Tel: +49 (0) 89 89 019 222  
Fax: +49 (0) 89 89 019 173  
Email: [info@east.metrologic.com](mailto:info@east.metrologic.com)  
[www.europe.metrologic.com](http://www.europe.metrologic.com)

##### France, North Africa

Metrologic Eria France SA  
Tel: +33 (0) 1 48.63.78.78  
Fax: +33 (0) 1 48.63.24.94  
Email: [info@fr.metrologic.com](mailto:info@fr.metrologic.com)  
[www.europe.metrologic.com](http://www.europe.metrologic.com)

##### Germany, Austria, Switzerland

Metrologic Instruments GmbH  
Tel: +49 (0) 89 89 019 0  
Fax: +49 (0) 89 89 019 200  
Email: [info@de.metrologic.com](mailto:info@de.metrologic.com)  
[www.metrologic-instruments.de](http://www.metrologic-instruments.de)

##### Italy, Greece, Israel, Turkey

Metrologic Instruments Italia Srl  
Tel: +39 0 51 6511978  
Fax: +39 0 51 6521337  
Email: [info@it.metrologic.com](mailto:info@it.metrologic.com)  
[www.metrologic.it](http://www.metrologic.it)

##### Poland

Metrologic Instruments Polska Sp.z o.o.  
Tel: +48 22 545 04 30  
Fax: +48 22 545 04 31  
Email: [info@pl.metrologic.com](mailto:info@pl.metrologic.com)  
[www.europe.metrologic.com](http://www.europe.metrologic.com)

##### Russia

Metrologic Russia  
Tel: +7 095 730 7424  
Fax: +7 095 730 7425  
Email: [info@ru.metrologic.com](mailto:info@ru.metrologic.com)  
[www.russia.metrologic.com](http://www.russia.metrologic.com)

##### Spain, Portugal

Metrologic Eria Ibérica SL  
Tel: +34 91 327 24 00  
Fax: +34 91 327 38 29  
Email: [info@es.metrologic.com](mailto:info@es.metrologic.com)  
[www.metrologic.es](http://www.metrologic.es)

##### UK, Ireland, Benelux, Scandinavia, South Africa

Metrologic Instruments UK Ltd  
Tel: +44 (0)1256 365900  
Fax: +44 (0)1256 365955  
Email: [info@uk.metrologic.com](mailto:info@uk.metrologic.com)  
[www.metrologic.co.uk](http://www.metrologic.co.uk)

 **Metrologic**<sup>®</sup>  
We really work for you.™

 **Metrologic**<sup>®</sup>  
We really work for you.™

*Products at-a-glance*



For our full range of products  
visit [www.metrologic.com](http://www.metrologic.com)

## Metrologic's Retail and Commercial Product Range

# Best of Breed...

From the six-sided 360° bi-optic Stratos™ in-counter scanner/scale through to the popular single line Voyager® series hand held scanner, Metrologic has the bar code scanning solution that your business demands.

With a suite of products featuring high functionality and great performance, Metrologic is the scanner manufacturer of choice on a global basis for customers in the retail, commercial, manufacturing, transportation and logistics, postal and parcel delivery industries.

**Metrologic®**  
We really work for you.™

### HAND HELD SCANNERS

					
Product	MS5145 Eclipse™	MS9520/40 Voyager®	MS9535 VoyagerBT™	MS1690 Focus™	MS3580 Quantum™ 7
Characteristics	<ul style="list-style-type: none"> <li>• Hand-held scanner with CodeGate®</li> </ul>	<ul style="list-style-type: none"> <li>• Hand-held scanner</li> <li>• Feature-rich</li> <li>• CodeGate® functionality for added accuracy (MS9540 only)</li> </ul>	<ul style="list-style-type: none"> <li>• Hand-held scanner with Bluetooth radio frequency technology</li> <li>• CodeGate® functionality for added accuracy</li> </ul>	<ul style="list-style-type: none"> <li>• Precision target scanning of all standard 1D, PDF417, microPDF, Composite, Matrix and Postal Codes</li> <li>• Captures/transmits images</li> </ul>	<ul style="list-style-type: none"> <li>• Fully automatic scanning</li> <li>• Omnidirectional with single line mode</li> </ul>
EAS		<b>EAS Option</b>			
Scan Pattern/Type	<ul style="list-style-type: none"> <li>• 72 scans/second</li> <li>• Single Line</li> </ul>	<ul style="list-style-type: none"> <li>• 72 scans/second</li> <li>• Single Line</li> </ul>	<ul style="list-style-type: none"> <li>• 72 scans/second</li> <li>• Single Line</li> </ul>	<ul style="list-style-type: none"> <li>• Omnidirectional scanning</li> <li>• Captures/transmits images in a variety of outputs: jpg, bmp, tiff</li> </ul>	<ul style="list-style-type: none"> <li>• Single line: 80 scans/second</li> <li>• Omnidirectional: 1650 scans/second</li> <li>• Omnidirectional: 20 scan lines</li> </ul>
Target Applications	  	  	  	  	  

### General features for all Metrologic scanners

 **OPOS and JPOS compliant**  
– Using MetrOPOS driver

 **Programming via barcodes or Windows® (Metro-Select/MetroSet 2)**  
– Easy to setup and get started

 **Custom edit the bar code data (MetroSet 2)**  
– Transmit the data the way the host wants it

 **2-5 Year Factory Warranty**  
– Protects your investment

 **Field replaceable cables**  
– PowerLink cabling system with or without direct power

 **Automatic IR turn-on**  
– The IR sensor switches on the laser when a barcode is presented to the scanner and sends data to host

 **650nm laser diode**  
– Bright scan lines for accurate reading

 **Decodes all standard 1-D bar codes**  
– Scans all common POS bar codes


### PRESENTATION

## SCANNERS

## HIGH VOLUME RETAIL

## MOBILE

## Key to Target Applications



### MS7120 Orbit®

### MS7320 InVista™

### MS7600 Horizon™

### MS2000 Stratos™

### SP5500 Series Optimus™

- Presentation scanner with hand-held option
- Award-winning design

- Presentation scanner with optional stand
- EAS ready
- Ideal MS700i replacement

- In-counter presentation scanner
- EAS ready
- Ideal MS860i replacement

- Bi-optic in-counter presentation scanner
- Scanner, with/without Scale
- EAS ready

- Sleek 'pocket-sized' scanning mobile data collection terminal
- Available in both batch and Bluetooth™ wireless versions
- Easy-to-navigate user interface

**EAS Standard**

**EAS Standard**

**EAS Standard**

- 1200 scans/second
- Omnidirectional with 20 scan lines

- 2000 scans/second
- Omnidirectional with 20 scan lines

- 2000 scans/second
- Omnidirectional with 20 scan lines

- 66 or 54 scan lines, provides 6000 or 5400 scans/second
- Independent horizontal and vertical scan fields

- 100 scans/second
- Single Line



Speciality



Convenience Stores



Supermarket/High Volume



Manufacturing/Work in Progress



Warehouse



Health



Pharmacy



Library



Logistics



D.I.Y.

### RSS-14 Decoding (except Composite)

– Scans emerging symbologies

### Shipped from the factory in complete kits

– All necessary parts are included at one price

### Flash ROM

– Scanner firmware upgrade using windows utility

### Up to 7 interfaces available

– RS232, LfPn, KBW/SKBW, OCIA, IBM, Laser Emulation USB-POS/HID/FS

### Sunrise 2005 Compliant

– Uniform Code Council initiative to read UCC 12, 13 & 14 barcodes into database, mainly used in USA

# MAIN FEATURES

## MS5145 Eclipse™

- High performance entry level scanner
- Wide scan field/single scan line
- Ideal for menu scanning
- Bar code data can be formatted to meet the requirements of the host system
- Fits comfortably in any size hand and its lightweight design allows for tireless use
- Available in three different colour options: Light Grey, Charcoal Grey and Pearl White

## MS9520 Voyager®

- Long range activation
- Short range activation
- Automatic stand activation
- Single line high speed scanning
- 5 year guarantee
- Choice of colours

## MS9540 VoyagerCG®

- Long range activation
- Short range activation
- Codegate feature
- Automatic stand activation
- Single line high speed scanning 1D and 2D bar codes
- 5 year guarantee

## MS9535 Voyager BT™

- Can be used as Bluetooth™ scanner or fixed scanner
- Stores bar codes from within 10 metre range
- Stores up to 2,500 bar codes in memory
- Automatically sends data without input from operator
- High visibility laser for easy scanning
- Bar code data can be formatted to host requirements

## MS1690 Focus

- Imager barcode scanner
- Omnidirectional bar code reading
- High speed 'first flash' scanning
- Ability to read damaged bar codes
- Wide FOV for scanning large bar codes
- Reads 1D and 2D bar codes
- Uses CMOS sensor which provides more aggressive scanning
- Rugged design for tough environments

## MS3580 Quantum™ T

- Sweet spot scanning feature
- Omnidirectional and single line scanning
- IR activation for wake up
- Custom scan pattern configuration
- Aggressive scanning 1650 scans per second
- Programmable width and length of field

## MS7120 Orbit®

- Aggressive 20 line omnidirectional scan pattern
- Rotating head (30 degrees)
- Counter or wall mounted
- Small enough to pick up
- Award winning design
- Small footprint and low centre of gravity

## MS7320 InVista™

- 2000 scan lines per second
- EAS deactivation (standard)
- OPOS and JPOS compatible
- Field replaceable window
- Provided with or without stand for premium counter space saving
- Firmware updates via flash ROM

## MS7600 Horizon™

- Omni directional scanning provides high first pass read rate
- 2000 scan lines per second
- EAS as standard
- IR Laser activation (power save)
- Multiple interfaces
- Data editing enables compatibility with most POS

## MS2000 Stratos™ Series

- 5 or 6 sided 360 degree scanning high read rate
- 66 or 54 scan lines provides 6000 or 5400 scan lines per second
- Horizontal/vertical scan engines guards against scanner failure
- Reads poor quality bar codes
- EAS deactivation (standard)
- StratosSPHERE™ – provides aggressive scanning for high first pass read rate and orientation-free scanning. Increase throughput at the checkout counter!
- StratosSYNC™ – separate and independent scanning planes capable – back up scanning.
- StratosSWAP™ – no adjustment required optical modules replaced in <5 minutes.
- StratosSCHOOL™ – provides operators more productive scanning techniques. Increase productivity at the checkout.

## SP5500 Series Optimus™

- Latest scanning mobile data collection terminal
- Sleek 'pocket-sized' design
- 100 scans per second laser
- Available in both batch and Bluetooth™ wireless versions
- Multiple application development tools
- Easy-to-navigate user interface
- Memory storage for up to 100,000 items
- Long-lasting Lithium-Ion battery provides up to 100 hours of operation
- Charging/communication cable with RS232 or USB connectivity